GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PR & RD Dept. – Vigilance & Quality Control Divisions - Utilisation of accumulated 0.5% charges for maintenance of Quality Control Labs for the year 2021-22 - Administrative sanction for an amount of Rs.15.00 lakhs per each V&QC Division and Rs.13.00 lakhs per each V&QC Sub-Division from other than PAO Grants – Accorded – Orders – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (PROGS II) DEPARTMENT

G.O.Rt.No.488 **Dated.14.09.2021.**

Read the following:-

(1) G.O.Rt.No.311, PR & RD (Progs.II) Dept., dt.09.06.2020.
(2) From the Chief Engineer, Pancnayat Raj, V&QC, Vijayawada, letter No. QC6/DEE/VQC/Mtc. Of QC Labs/0.50% QC Charges/2021, dt.03.09.2021.

.....

O R D E R:-

In the G.O. 1st read above, orders were issued according administrative sanction for an amount of Rs.6,40,00,000/- (Rupees Six Crore and Forty Lakhs only) for maintenance of Quality Control labs @ Rs.15.00 lakhs per each of (8) Divisional Quality Control labs and Rs.13.00 lakhs per each (40) Sub-division Quality Control labs for the Financial Year 2020-21 by meeting the expenditure of operational cost, maintenance cost and hire charges of vehicles from the available and accumulated amount under 0.50% Quality Control charges in each District from other than PAO Grants.

2. In the letter 2nd read above, the Chief Engineer, Panchayat Raj, V&QC, Vijayawada has requested for according administrative sanction for an amount of Rs.667.00 Lakhs for maintenance of V&QC Divisions & Sub divisions, Maintenance of District Quality control lab at Visakhapatnam and Maintenance of CE., V&QC Section in the O/o ENC., PR., Vijayawada for the financial year 2021-22 from the available and accumulated amount under 0.5% QC Charges in each district from other than PAO Grants as shown in the annexure, failing which it may not be possible to proceed with Quality Control Checks .

3. In the above circumstances explained above, as there is immediate need for maintenance of Quality Control Sub-Divisions and to continue inspections, Government, after careful consideration hereby accord administrative sanction for an amount of Rs.667.00 Lakhs (Rupees six hundred and sixty seven lakhs only) for maintenance of V&QC Divisions & Sub divisions, Maintenance of District Quality control lab at Visakhapatnam and Maintenance of Chief Engineer, V&QC Section in the O/o Engineer-in-Chief, PR, A.P., Vijayawada for the Financial Year, 2021-22 from the available and accumulated amount under 0.5% QC Charges in each district from other than PAO Grants, as shown in the annexure appended hereunder,

4. The Chief Engineer, Panchayat Raj, Vigilance and Quality Control, Andhra Pradesh, Vijayawada shall take further necessary action accordingly in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

GOPAL KRISHNA DWIVEDI
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Chief Engineer, Panchayat Raj, Vigilance and Quality Control,
Andhra Pradesh, Vijayawada.
Copy to:
The Engineer-In-Chief, Panchayat Raj, A.P., Vijaywada
The Commissioner, Panchayat Raj & Rural Development,
Andhra Pradesh, Vijayawada.
The Accountant General, D.No.54-14/5-17/A, Road No.12A/10A,
Bank Colony, Bharathi Nagar, Gunadala, Vijayawada-520008, A.P.,
The Pay & Accounts officer, A.P., Ibrahimpatnam.
The Directorate of Treasuries & Accounts, A.P., Ibhrahimpatnam
The P.S. to M (PR & RD, Mines & Geology)
The PS to Principal Secretary to Govt., PR&RD Dept.
~~Sc/~~Sf.,

//FORWARDED:BY ORDER//

S.N.S

SECTION OFFICER

(Annexure....contd.)

AN NEXURE

(to G.O.Rt.No.488, PR & RD (Progs.II) Dept., dt.14.09.2021)

S.No	Name of the District	Name of the QC division		Name of the QC Sub-Division	Est.Cost Rs.in Lakhs
1	Srikakulam	Srikakulam			**15.00**
			1	Srikakulam	13.00
			2	Palakonda	13.00
			3	Tekkali	13.00
	Vizianagaram		4	Vizianagaram	13.00
			5	Parvathipuram	13.00
2	Visakhapatnam	Visakhapatnam			**15.00**
			6	Visakhapatnam	13.00
			7	Paderu	13.00
			8	Narsipatnam	13.00
	East Godavari		9	Kakinada	13.00
			10	Rampachodavaram	13.00
			11	Rajamahendravaram	13.00
3	Krishna	Vijayawada			**15.00**
			12	Vijayawada	13.00
			13	Machilipatnam	13.00
			14	Nuzividu	13.00
	West Godavari		15	Eluru	13.00
			16	Bhimavaram	13.00
			17	Jangareddygudem	13.00
4	Prakasam	Parchur			**15.00**
			18	Ongole	13.00
			19	Markapur	13.00
	Guntur		20	Guntur	13.00
			21	Narsaraopet	13.00
			22	Tenali@Repalli	13.00
5	SPSR Nellore	Nellore			**15.00**
			23	Nellore	13.00
			24	Gudur	13.00
			25	Udayagiri	13.00
	Prakasam		26	Kandakur	13.00
6	Chittoor	Chittoor			**15.00**
			27	Chittoor	13.00
			28	Madanapalli	13.00
			29	Tirupathi	13.00
7	Ananthapuramu	Ananthapuramu			**15.00**
			30	Ananthapuramu-1	13.00
			31	Ananthapuramu-2	13.00
			32	Kadiri	13.00
			33	Penukonda	13.00
8	Kadapa	Kadapa			**15.00**
			34	Kadapa-1	13.00
			35	Kadapa-2	13.00
			36	Jammalamadugu	13.00
			37	Pulivendula	13.00
	Kurnool		38	Kurnool-1	13.00
			39	Kurnool-2	13.00
			40	Nandyal	13.00
9	Maintenance of District Quality Control lab at Visakhapatnam				**10.00**
10	Maintenance of CE., V&QC Section in the O/o ENC., PR., Vijayawada				**17.00**
	Total (Six hundred and sixty seven lakhs)				**667.00**

GOPAL KRISHNA DWIVEDI
PRINCIPAL SECRETARY TO GOVERNMENT